

POWERED BY



Controlled-Release Fertilizer™

14-6.1-11.6 NPK

DESCRIPTION: A PROFESSIONAL HOMOGENEOUS 3 TO 4 MONTH◇ CONTROLLED RELEASE N U R S E R Y FERTILIZER FOR CONTAINER GROWN ANNUALS. ALL OF THE NUTRIENTS IN **POLYON 14-6.1-11.6 NPK** ARE COMBINED WITHIN EACH UNIFORM COATED PELLET, INSURING PRECISE DISTRIBUTION AND RELEASE.

<p>BENEFITS:</p> <ul style="list-style-type: none"> 14-6.1-11.6 NPK provides the improved safety of POLYON® Reactive Layers Coating (RLC) controlled release technology. Release of nutrients with POLYON is predictable and reliable. The coating has been precisely applied to ensure the safety and effectiveness of each granule. Release of nutrients is not significantly affected by media type, moisture level, pH, or microbial activity. 		<p>POWERED BY</p> <p>Controlled-Release Fertilizer</p>		<p>SOIL/MEDIA TEMPERATURE RELEASE RATES</p> <p>50°F 10.0°C = 6-7 months 60°F 15.5°C = 5-6 months 70°F 21.0°C = 3-4 months◇ 80°F 26.5°C = 2-3 months</p>			
<p>POLYON 14 - 14 - 14 NPK GUARANTEED ANALYSIS:</p> <p>TOTAL NITROGEN (N)* 14.00% 8.50% Ammoniacal Nitrogen 5.50% Nitrate Nitrogen AVAILABLE PHOSPHATE (P₂O₅)* 14.00% SOLUBLE POTASH (K₂O) * 14.00% Sulfur (S)* 4.00%</p> <p>Derived from Polymer-Coated Ammonium Nitrate, Polymer-Coated Ammonium Phosphate, and Polymer-Coated Sulfate of Potash.</p> <p>POLYON® is a registered trademark owned by Agrium and used under license.</p> <p>*All nutrients have been polymer-coated to provide 14.00% coated slow release nitrogen (N), 14.00% coated slow release available phosphate (P₂O₅), 14.00% coated slow release soluble potash (K₂O), and 4.00% coated slow release sulfur (S).</p>		<p>U.S. STANDARD</p>		<p>POLYON 14 - 6.1 - 11.6 NPK GUARANTEED ANALYSIS:</p> <p>TOTAL NITROGEN (N)** 14.00% 8.50% Ammoniacal Nitrogen 5.50% Nitrate Nitrogen TOTAL PHOSPHORUS (P)** 6.10% TOTAL POTASSIUM (K) ** 11.60% Sulfur (S)** 4.00%</p> <p>Derived from Polymer-Coated Ammonium Nitrate, Polymer-Coated Ammonium Phosphate, and Polymer-Coated Sulfate of Potash.</p> <p>POLYON® is a registered trademark owned by Agrium and used under license.</p> <p>**All nutrients have been polymer-coated to provide 14.00% coated slow release nitrogen (N), 6.10% coated slow release total phosphorus (P), 11.60% coated slow release total potassium (K), and 4.00% coated slow release sulfur (S).</p>		<p>ELEMENTAL</p>	

<p>APPLICATION RATES: (Call for rates on larger containers.)</p> <p>Use LOW rate for low feeding, sensitive plants or under high soil temperatures.</p> <p>Use MEDIUM rate for medium to moderately heavy feeding plants.</p> <p>Use HIGH rate only for heavy feeding hardy plants.</p> <p>These application rates are based on the average temperature at the fertilizer location of 70° F (21.0°C).</p> <p>Increase fertilizer application rates by 20% if average monthly temperatures are lower than 60°F (15.5°C).</p> <p>Lower application rates by 20% if average monthly temperatures are greater than 80°F (26.5°C).</p>			<p>CONVERSION TABLE</p> <table border="1"> <tr> <th colspan="3">DRY MEASURE</th> </tr> <tr> <th>Level Measure</th> <th>Grams</th> <th>Oz.(Wt.)</th> </tr> <tr> <td>1 teaspoon (tsp.)</td> <td>5.8</td> <td>0.21</td> </tr> <tr> <td>1 tablespoon (tblsp.)</td> <td>17.7</td> <td>0.63</td> </tr> <tr> <td>1/4 cup</td> <td>57.6</td> <td>2.03</td> </tr> <tr> <td>1/2 cup</td> <td>121.7</td> <td>4.29</td> </tr> </table> <table border="1"> <tr> <th colspan="3">POLYON SPOONS</th> </tr> <tr> <th>Size</th> <th>Grams</th> <th>Oz.(Wt.)</th> <th>Size</th> <th>Grams</th> <th>Oz.(Wt.)</th> </tr> <tr> <td>1</td> <td>10.2</td> <td>0.36</td> <td>5</td> <td>38.6</td> <td>1.36</td> </tr> <tr> <td>2</td> <td>15.4</td> <td>0.54</td> <td>6</td> <td>54.9</td> <td>1.94</td> </tr> <tr> <td>3</td> <td>21.2</td> <td>0.75</td> <td>7</td> <td>71.9</td> <td>2.53</td> </tr> <tr> <td>4</td> <td>26.1</td> <td>0.92</td> <td>8</td> <td>87.5</td> <td>3.09</td> </tr> </table>			DRY MEASURE			Level Measure	Grams	Oz.(Wt.)	1 teaspoon (tsp.)	5.8	0.21	1 tablespoon (tblsp.)	17.7	0.63	1/4 cup	57.6	2.03	1/2 cup	121.7	4.29	POLYON SPOONS			Size	Grams	Oz.(Wt.)	Size	Grams	Oz.(Wt.)	1	10.2	0.36	5	38.6	1.36	2	15.4	0.54	6	54.9	1.94	3	21.2	0.75	7	71.9	2.53	4	26.1	0.92	8	87.5	3.09
DRY MEASURE																																																								
Level Measure	Grams	Oz.(Wt.)																																																						
1 teaspoon (tsp.)	5.8	0.21																																																						
1 tablespoon (tblsp.)	17.7	0.63																																																						
1/4 cup	57.6	2.03																																																						
1/2 cup	121.7	4.29																																																						
POLYON SPOONS																																																								
Size	Grams	Oz.(Wt.)	Size	Grams	Oz.(Wt.)																																																			
1	10.2	0.36	5	38.6	1.36																																																			
2	15.4	0.54	6	54.9	1.94																																																			
3	21.2	0.75	7	71.9	2.53																																																			
4	26.1	0.92	8	87.5	3.09																																																			

TOPDRESS CONTAINER: Plant Nutrient Requirements / Uniformly apply (topdress) product onto the container surface using the amounts listed below.

VOLUME (gal.)	DIAMETER	LOW	MEDIUM	HIGH	DIAMETER (mm)	LOW	MEDIUM	HIGH
1 gallon	6 inches	4 g	7 g	10 g	100mm	0.7 g	1.5 g	2.0 g
2 gallons	8 inches	8 g	15 g	22 g	125mm	1.4 g	2.8 g	4.0 g
3 gallons	10 inches	13 g	27 g	38 g	150mm	2.4 g	4.8 g	6.7 g
5 gallons	12 inches	20 g	40 g	60 g	175mm	4.0 g	8.0 g	12.0 g
7 gallons	14 inches	30 g	60 g	90 g	200mm	6.0 g	12.0 g	18.0 g
10 gallons	17 inches	50 g	100 g	150 g	250mm	14.0 g	27.0 g	40.0 g
15 gallons	18 inches	70 g	140 g	210 g	300mm	19.0 g	37.0 g	53.0 g

INCORPORATION: Plant Nutrient Requirements / Uniformly mix (incorporate) nursery fertilizer into potting media as follows:

POUNDS PER CUBIC YARD	LOW 4	MED 7	HIGH 10	KILOGRAMS PER CUBIC METRES	LOW 2	MED 4	HIGH 6
-----------------------	-------	-------	---------	----------------------------	-------	-------	--------

PLANTING BED: FIELD / Plant Nutrient Requirements (incorporate if possible or use lower rates) as follows:

POUNDS PER 100 SQ.FT.	LOW 1.5	MED 3	HIGH 4.5	KILOGRAMS PER 100 SQ. METRES	LOW 7	MED 15	HIGH 22
-----------------------	---------	-------	----------	------------------------------	-------	--------	---------

- APPLICATION PRECAUTIONS:** Item# 74221_141414npk_3-26-09
- Trial before use of this product under your local growing conditions, application methods, and desired rates. Avoid application to plants under stress.
 - If mixed media is not used within 1 week, leach thoroughly before using.
 - Product left in media for more than 1 week will lose longevity resulting in reduced release time and wasted controlled release fertilizer.
 - Avoid the use of media processing equipment that could change the integrity of RLC.
 - Avoid mounding of fertilizer against base of plant.
 - Iron and other plant nutrients can cause staining of cement.
 - Keep away from pools, ponds, and other bodies of water.
 - When using potting media with higher cation exchange capacities use lower recommended rates of this formulation.
 - When using supplemental liquid feed reduce the rate of this formulation accordingly.
 - Do not incorporate into media prior to steam sterilization.
 - This product is not recommended for dibble applications.
 - To avoid buildup of soluble salts, occasional leaching may be necessary.