

Safety Data Sheet Potassium Sulphate Revision 3, Date 16 Jan 2015

1. IDENTIFICATION

Product Name Potassium Sulphate

Other Names Potassium Sulphate (K2SO4); SOP; SULFURIC ACID, DIPOTASSIUM SALT; Sulphate of Potash; Sulphuric acid,

dipotassium salt

Uses Industria

Chemical Family No Data Available

Chemical Formula K2SO4

Chemical NamePotassium SulphateProduct DescriptionNo Data Available

Contact InformationOrganisationLocationTelephoneAsk ForRedox Pty Ltd2 Swettenham Road+61-2-97333000SDS Officer

Minto NSW 2566

Australia

Redox Pty Ltd 11 Mayo Road +64-9-2506222

Wiri Auckland 2104 New Zealand

Redox Inc. 2132A E. Dominguez Street +1-424-675-3200

Carson CA 90810

USA

Redox Chemicals Sdn Bhd No. 8, Block G, Ground Floor, +60-3-7843-6833

Taipan 2 Jalan PJU 1A/3 Ara Damansara

47301, Petaling Jaya, Selangor,

Malaysia

Poisons Information Centre Westmead NSW 1800-251525

131126

Chemcall Australia 1800-127406

Chemcall New Zealand 0800-243622 +64-4-9179888

0800-764766

CHEMTREC USA & Canada 1-800-424-9300

New Zealand

CCN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) No Data Available

Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and

Labelling of Chemicals (GHS)

Signal Word None

Redox Pty Ltd
Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia
2 Swettenham Road Minto NSW 2566 Australia
All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Phone Fax E-mail Web ABN

National Poisons Centre

+61 2 9733 3000 +61 2 9733 3111 sydney@redox.com www.redox.com 92 000 762 345 Australia Adelaide Brisbane Melbourne Perth Sydney

New Zealand
Auckland
Christchurch
Hawke's Bay

VSA

Kuala Lumpur

USA

Los Angeles



National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Act 1996

HSNO Classifications Health 6.3B Substances that are mildly irritating to the skin

Hazards

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Potassium Sulphate	No Data Available	7778-80-5	95.0 - 99.0 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed Do not induce vomiting if swallowed. Give large quantities of water through mouth if conscious. If symptoms persist

seek medical attention.

Eye Immediately flush eyes with plenty of water for 15 minutes, holding eyelids open. In all cases of eye contamination, it

is a sensible precaution to seek medical advice.

Skin Remove contaminated clothing. Wash affected area with plenty of water. Seek medical attention if irritation occurs

Inhaled Remove victim to fresh air. Give artificial respiration only if breathing has stopped. If breathing is difficult, give oxygen.

Seek medical attention.

Advice to Doctor

Medical Conditions Aggravated

by Exposure

Treat symptomatically based on judgement of doctor and individual reactions of patient. No information available on medical conditions aggravated by exposure to this product.

5. FIRE FIGHTING MEASURES

General Measures Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move

fire exposed containers from fire area if it can be done without risk.

Flammability Conditions Product is a non-flammable solid.

Extinguishing Media Use appropriate media for surrounding fire (water, chemical foam, dry chemical or carbon dioxide). Use water spray

to cool structures and containers exposed to fire.

Fire and Explosion Hazard Product is a non-flammable solid.

Hazardous Products of

Personal Protective Equipment

Combustion

May release sulphur dioxide and sulphur trioxide and potassium oxides when heated in a fire.

Special Fire Fighting Instructions Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.

Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting

clothing (includes fire fighting helmet, coat, trousers, boots and gloves).

Flash Point No Data Available **Lower Explosion Limit** No Data Available

No Data Available **Upper Explosion Limit Auto Ignition Temperature** No Data Available **Hazchem Code** No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Avoid accidents, clean up immediately. Slippery when spilt. Eliminate all sources of ignition. Increase ventilation.

Avoid generating dust. Stop leak if safe to do so. Isolate the danger area. Use clean, non-sparking tools and

equipment.

Clean Up Procedures Sweep up any spilt material and dispose of in an appropriate container.

Containment Stop leak if safe to do so. Isolate the danger area. Decontamination Flush area with water to remove any residue.

Environmental Precautionary

Do NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental

Measures

Protection Authority or your local Waste Management.

Evacuation Criteria Evacuate all unnecessary personnel.

Personal Precautionary Measures Personnel involved in the clean up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

Handling Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and

> recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Do not inhale product dust/fumes. Use proper equipment for lifting and transporting all containers. Avoid situations that could lead to harmful exposure.

Storage Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for

deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Store away from heat, moisture and incompatible substances. This product is not classified dangerous for transport according to The Australian Code for the Transport of Dangerous Goods By Road and Rail.

Container Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General ACGIH / TLV = 1mg/m3

OSHA / PEL = 1mg/m3

Exposure Limits No Data Available

Biological Limits No information available on biological limit values for this product.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local

> exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Adequate ventilation should be provided so that exposure limits

are not exceeded.

Personal Protection Equipment RESPIRATOR: An effective dust mask, preferably a half face dust / mist respirator, should be worn where dust or

mist is present (AS1715/1716).

EYES: Safety glasses should be worn at all times. Full face shield offers higher degree of protection. Contact lenses

should not be worn as they may contribute to eye injury (AS1336/1337). HANDS: Gloves should be worn to prevent skin contact (AS2161).

CLOTHING: Protective clothing or coveralls should be worn to prevent skin contact. Wash contaminated clothing with soap and water, dry thoroughly before reuse. Safety footwear should be worn as needed (AS3765/2210).

Work Hygienic Practices Good industrial hygiene practices. Emergency shower and eyewash stations should be in reasonable proximity to

work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Crystalline Powder / Granules

Taste

Odour Odourless

Colour Off White to Beige / Pink or Brown powder

pΗ 7 - 9 50g/L in water at 20degC

Vapour Pressure No Data Available **Relative Vapour Density** No Data Available **Boiling Point** No Data Available

Melting Point 1069 °C

Freezing Point No Data Available

Solubility 11.1g K2SO4 / 100ml water 20°C

Specific Gravity 2.662 g/cm3 Flash Point No Data Available **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** No Data Available **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available Density No Data Available Specific Heat No Data Available

Molecular Weight 174.26

Net Propellant Weight No Data Available **Octanol Water Coefficient** No Data Available Particle Size No Data Available **Partition Coefficient** No Data Available Saturated Vapour Concentration No Data Available Vapour Temperature No Data Available Viscosity No Data Available Volatile Percent No Data Available **VOC Volume** No Data Available

Potential for Dust Explosion Product is a non-flammable solid.

Fast or Intensely Burning

Additional Characteristics

Characteristics

No Data Available

No Data Available

Flame Propagation or Burning

Rate of Solid Materials

No Data Available

No Data Available

Non-Flammables That Could

Contribute Unusual Hazards to a Fire

Properties That May Initiate or

Contribute to Fire Intensity

No Data Available

Reactions That Release Gases or No Data Available

Release of Invisible Flammable

Vapours and Gases

Vapours

No Data Available

10. STABILITY AND REACTIVITY

Safety Data Sheet Potassium Sulphate Revision 3, Date 16 Jan 2015

General Information Product is a non-flammable solid.

Chemical Stability Product is stable under normal conditions of use, storage and temperature.

Conditions to Avoid No Data Available

Materials to Avoid Avoid strong oxidising agents, chlorine, and nitric acid. Vigorous reaction will occur when potassium sulphate is

melted with aluminium or magnesium.

Hazardous Decomposition

Products

Decomposition products include sulphur dioxide, sulphur trioxide. May release sulphur dioxide and sulphur trioxide

when heated in a fire.

Hazardous Polymerisation Will not occur.

11. TOXICOLOGICAL INFORMATION

General Information Animal Toxicity Data: LD50 (oral rat) = 6600mg/kg.

Not listed as carcinogenic (IARC and ACGIH)

Eyelrritant May cause irritation, redness and impaired vision.

IngestionInhalationMay cause diarrhea, abdominal cramps, mouth and tongue pain, sore throat, nausea, stomach ache.InhalationIrritating to the upper respiratory tract and mucous membranes. May cause sensitisation on inhalation.

SkinIrritant May cause redness, irritation and sensitisation.

Carcinogen Category No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity LC50 - Pimephales promelas (fathead minnow) - 680 mg/l - 96 h

Persistence/Degradability Hazardous short term degradation products are not likely.

MobilityNo information available on mobility for this product.Environmental FateAvoid contaminating waterways, drains and sewers.

Bioaccumulation PotentialNo information available on bioaccumulation for this product.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in

accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.

Special Precautions for Land Fill Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping NamePotassium SulphateClassNo Data AvailableSubsidiary Risk(s)No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Land Transport (New Zealand)

NZS5433

Proper Shipping NamePotassium SulphateClassNo Data AvailableSubsidiary Risk(s)No Data AvailableNo Data AvailableUN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data Available

No Data Available

Land Transport (United States of America)

US DOT

Special Provision

Proper Shipping Name
Class
No Data Available
Subsidiary Risk(s)
No Data Available
No Data Available
No Data Available
No Data Available
Hazchem
No Data Available
Pack Group
No Data Available

Sea Transport

IMDG Code

Proper Shipping Name Potassium Sulphate Class No Data Available Subsidiary Risk(s) No Data Available **UN Number** No Data Available Hazchem No Data Available **Pack Group** No Data Available **Special Provision** No Data Available **EMS** No Data Available

Marine Pollutant No

Air Transport

IATA

Proper Shipping Name
Class
No Data Available
Subsidiary Risk(s)
No Data Available
UN Number
No Data Available
Hazchem
No Data Available
Pack Group
No Data Available
Special Provision
No Data Available

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous

Goods by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General InformationNo Data AvailablePoisons Schedule (Aust)No Data Available

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Act 1996

Approval Code HSR002794

National/Regional Inventories

Australia (AICS) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (EHS Register) Not Determined

New Zealand (NZIoC) Not Determined

Phillipines (PICCS) Not Determined

Switzerland (Giftliste 1) Not Determined

Switzerland (Inventory of Notified

Substances)

Not Determined

Taiwan (NCSR) Not Determined

USA (TSCA) Not Determined

16. OTHER INFORMATION

Related Product Codes POSUPH1000, POSULA1000, POSULA1001, POSULA1002, POSULA1003, POSULA1004, POSULA1005,

POSULA1006, POSULA1100, POSULA1200, POSULA1400, POSULA1500, POSULA1600, POSULA2000, POSULA2001, POSULA2002, POSULA2100, POSULA2101, POSULA2500, POSULA2501, POSULA2900, POSULA3000, POSULA3001, POSULA3100, POSULA3200, POSULA3300, POSULA3400, POSULA3400, POSULA4001, POSULA4101, POSULA4200, POSULA4001, POSULA4101, POSULA4200,

```
POSULA4201, POSULA4500, POSULA4501, POSULA4700, POSULA4701, POSULA5000, POSULA5001,
POSULA5100, POSULA5500, POSULA5700, POSULB1000, POSULB1500, POSULP0500, POSULP0900,
POSULP1000, POSULP1001, POSULP1002, POSULP1003, POSULP1004, POSULP1005, POSULP1006,
POSULP1007, POSULP1008, POSULP1009, POSULP1010, POSULP1011, POSULP1012, POSULP1013,
POSULP1014, POSULP1015, POSULP1016, POSULP1017, POSULP1100, POSULP1200, POSULP1300,
POSULP1400, POSULP1500, POSULP1501, POSULP1600, POSULP1700, POSULP1800, POSULP1900,
POSULP2000, POSULP2001, POSULP2002, POSULP2500, POSULP2501, POSULP2502, POSULP2600,
POSULP2700, POSULP2900, POSULP3000, POSULP3500, POSULP3600, POSULP3700, POSULP3800,
POSULP3900, POSULP4000, POSULP4001, POSULP4002, POSULP4100, POSULP4200, POSULP4300,
POSULP4400, POSULP4500, POSULP4600, POSULP4700, POSULP4800, POSULP4900, POSULP5000,
POSULP5001, POSULP5100, POSULP5500, POSULP6200, POSULP6201, POSULP6202, POSULP6203,
POSULP6204, POSULP6205, POSULP6206, POSULP6207, POSULP6300, POSULP6301, POSULP6302,
POSULP6500, POSULP7000, POSULP7001, POSULP7500, POSULP7501, POSULP7502, POSULP8000,
POSULP9000, POSULP9500, POSULP9800, POSULP9801, POSULP9802, POSULP9803, POSULP9600,
POSULP1801, POSULP1801, POSULP1802, POSULP1803, POSULP1804, POSULP1805, POSULP1806,
POSULP1807, POSULP1808, POSULP1809, POSULP1810, POSULP1811, POSULP1812, POSULP1813,
POSULP1814, POSULP1815, POSULP1816, POSULP1817, POSULP1818, POSULP1819, POSULP1820,
POSULP1821, POSULP1822, POSULP1823, POSULP1824, POSULP1825, POSULP1826, POSULP1827,
POSULP1828, POSULP1829, POSULP1830, POSULP1831, POSULP1832, POSULP1502, POSULP1018,
POSULP1019, POSULP1301, POSULP1503, POSULP4201, POSULP1020, POSULP1021, POSULP4801,
POSULP1022, POSULP0600, POSULP7503, POSULP7510, POSULP1504, POSULP1025, POSULP3010,
POSULP1505, POSULP4701, POSULP0601, POSULP0700, POSULP0701, POSULP1507, POSULP4401
16 Jan 2015
< Less Than
> Greater Than
AICS Australian Inventory of Chemical Substances
atm Atmosphere
CAS Chemical Abstracts Service (Registry Number)
cm<sup>2</sup> Square Centimetres
CO2 Carbon Dioxide
COD Chemical Oxygen Demand
deg C (°C) Degrees Celcius
EPA (New Zealand) Environmental Protection Authority of New Zealand
deg F (°F) Degrees Farenheit
g Grams
g/cm³ Grams per Cubic Centimetre
g/I Grams per Litre
HSNO Hazardous Substance and New Organism
IDLH Immediately Dangerous to Life and Health
immiscible Liquids are insoluable in each other.
inHg Inch of Mercury
inH2O Inch of Water
K Kelvin
kg Kilogram
kg/m³ Kilograms per Cubic Metre
Ib Pound
LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of
50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50%
(one half) of a group of test animals.
Itr or L Litre
m³ Cubic Metre
mbar Millibar
mg Milligram
mg/24H Milligrams per 24 Hours
mg/kg Milligrams per Kilogram
ma/m³ Milligrams per Cubic Metre
Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.
mm Millimetre
mmH2O Millimetres of Water
mPa.s Millipascals per Second
N/A Not Applicable
NIOSH National Institute for Occupational Safety and Health
NOHSC National Occupational Heath and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
```

Pa Pascal

ppb Parts per Billion**ppm** Parts per Million

ppm/2h Parts per Million per 2 Hours **ppm/6h** Parts per Million per 6 Hours **psi** Pounds per Square Inch

Revision Date

Key/Legend

Safety Data Sheet Potassium Sulphate Revision 3, Date 16 Jan 2015

R Rankine RCP Reciprocal Calculation Procedure STEL Short Term Exposure Limit TLV Threshold Limit Value

tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight