

1. IDENTIFICATION

Product Name Magnesium sulfate, heptahydrate

Other Names Epsom Salt, Magnesium Sulfate; Magnesium sulphate - MAGRICULTURE; Sulfuric acid magnesium salt (1:1), heptahydrate

Uses Pharmaceuticals, bath soak, purgative; Industrial use; for correcting magnesium deficiency in crops and for use in animal

feed.

Chemical FamilyNo Data AvailableChemical FormulaMgSO4.7H2O

Chemical Name Sulfuric acid, magnesium salt, heptahydrate

Product Description No Data Available

Contact Details of the Supplier of this Safety Data Sheet

Organisation	Location	Telephone
Redox Ltd	2 Swettenham Road Minto NSW 2566 Australia	+61-2-97333000
Redox Ltd	11 Mayo Road Wiri Auckland 2104 New Zealand	+64-9-2506222
Redox Inc.	3960 Paramount Boulevard Suite 107 Lakewood CA 90712 USA	+1-424-675-3200
Redox Chemicals Sdn Bhd	Suite 13A.03, Menara Summit Persiaran Kewajipan USJ1 47600 UEP Subang Jaya	+60-3-5614-2111

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Selangor, Malaysia

Organisation	Location	Telephone
Poisons Information Centre	Australia – Westmead NSW	1800-251525 131126
Chemcall	Australia	1800-127406 +64-4-9179888
Chemcall	Malaysia	+64-4-9179888
National Poison Centre	Malaysia	+60-4-6536-999
Chemcall	New Zealand	0800-243622 +64-4-9179888
National Poisons Centre	New Zealand	0800-764766
CHEMTREC	USA & Canada	1-800-424-9300 CN723420 +1-703-527-3887

2. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not Scheduled

Redox Ltd
Corporate Office Sydney
Locked Bag 15 Minto NSW 2566 Australia
2 Swettenham Road Minto NSW 2566 Australia
All Deliveries: 4 Holmes Road Minto NSW 2566 Australia

Phone Fax E-mail Web ABN

+61 2 9733 3000 +61 2 9733 3111 sydney@redox.com www.redox.com 92 000 762 345 Australia Adelaide Brisbane Melbourne Perth Sydney New Zealand
Auckland
Christchurch
Hawke's Bay
UK
London
M

Malaysia
Kuala Lumpur
USA
Los Angeles
Oakland
Mexico



Globally Harmonised System

Hazard Classification NOT hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of

Chemicals (GHS)

Signal Word None

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

Safe Work Australia

National Guide for Classifying Hazardous Chemicals under the Model WHS Regulations

Hazard Classification NOT hazardous according to the criteria of Safe Work Australia under Model WHS Regulations

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Chemical Entity	Formula	CAS Number	Proportion
Magnesium sulfate, heptahydrate	MgSO4.7H2O	10034-99-8	<=100 %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed IF SWALLOWED: Rinse mouth. Do not induce vomiting unless directed to do so by medical personnel. Get medical

advice/attention if large quantities of this material are swallowed or if you feel unwell. Never give anything by mouth to

an unconscious person.

Eye IF IN EYES: Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting

the upper and lower lids. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. If eye

irritation occurs, get medical advice/attention.

Skin IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation

occurs, get medical advice/attention.

Inhaled IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If respiratory symptoms

persist, get medical advice/attention. Give artificial respiration if victim is not breathing. Administer oxygen if breathing is

difficult.

Advice to Doctor Treat symptomatically.

Medical Conditions Aggravated by No information available.

Exposure

5. FIRE FIGHTING MEASURES

If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out. **General Measures**

Flammability Conditions Non-combustible; Material does not burn.

Extinguishing Media If material is involved in a fire, use dry chemical, Carbon dioxide (CO2), foam or water spray for extinction.

*This material is compatible with all extinguishing media and standard firefighting techniques.

Fire and Explosion Hazard Oxides of sulfur may be generated during fire.

Hazardous Products of

Combustion

Fire or heat will produce irritating and/or toxic fumes, including oxides of Sulfur, Magnesium oxide.

Special Fire Fighting Instructions Contain runoff from fire control or dilution water - Runoff may pollute waterways.

Personal Protective Equipment Wear positive pressure self-contained breathing apparatus (SCBA). Structural firefighters' protective clothing will only

provide limited protection.

Flash Point No Data Available **Lower Explosion Limit** No Data Available **Upper Explosion Limit** No Data Available **Auto Ignition Temperature** No Data Available **Hazchem Code** No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure Ensure adequate ventilation. Do not touch or walk through spilled material - Spillages may be slippery! Promptly clean up

spills. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing.

Clean Up Procedures With clean shovel, place material into clean, dry container and cover loosely; move containers from spill area.

Containment Prevent further leakage or spillage if safe to do so. Prevent dust cloud.

Decontamination Flush residue with water.

Environmental Precautionary

Measures

Avoid contaminating waterways.

Evacuation Criteria Spill or leak area should be isolated immediately. Keep unauthorised personnel away.

7. HANDLING AND STORAGE

Handling Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure

> adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid generating dust. Avoid breathing dust and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as

required (see SECTION 8).

Storage Store in a well-ventilated place, out of direct sunlight, protected from extremes of temperature and humidity. Keep

containers tightly closed when not in use - check regularly for spills. Keep away from incompatible materials (see

SECTION 10).

Container Keep in the original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General No specific exposure standards are available for this product. For dusts from solid substances without specific

occupational exposure standards:

- Safe Work Australia Exposure Standard (Nuisance dusts): 8 hr TWA = 10 mg/m3 (measured as inhalable dust).

- New Zealand WES (Particulates not otherwise classified): TWA = 10 mg/m3 (total); TWA = 3 mg/m3 (respirable).

Exposure Limits No Data Available

Biological Limits No information available on biological limit values for this product.

Engineering Measures A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust

ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing

dispersion of it into the general work area.

Personal Protection Equipment - Respiratory protection: In case of inadequate ventilation, wear respiratory protection. Recommended: Dust

mask/respirator. Use suitable respiratory protection based on the level of exposure incurred (refer to AS/NZS 1715 & 1716).

- Eye/face protection: Wear appropriate eye protection to avoid eye contact. Recommended: Wear safety glasses or

chemical goggles.

- Hand protection: Handle with gloves. Recommended: Wear gloves if abrasion or irritation occurs.

- Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Recommended: Lab coat or

overalls, safety shoes,

Special Hazards Precaustions No information available.

Work Hygienic Practices Do not eat, drink or smoke when using this product. Always wash hands before smoking, eating, drinking or using the

toilet. Wash contaminated clothing and other protective equipment before storage or re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

Appearance Crystals, fine granular or powder

Odour Odourless

Colour White or transparent

pH Approx. 6 - 7 (5% w/w in water)

Vapour PressureNo Data AvailableRelative Vapour DensityNo Data AvailableBoiling PointNo Data Available

Melting Point 1,000 °C

Freezing Point No Data Available

Solubility Soluble in water (71 g/100 ml at 20 $^{\circ}$ C)

Specific Gravity 1.76 g/cm3

Flash Point No Data Available **Auto Ignition Temp** No Data Available **Evaporation Rate** No Data Available **Bulk Density** 55 - 58 lb/ft3 **Corrosion Rate** No Data Available **Decomposition Temperature** No Data Available Density No Data Available **Specific Heat** No Data Available **Molecular Weight** No Data Available **Net Propellant Weight** No Data Available **Octanol Water Coefficient** No Data Available **Particle Size** No Data Available **Partition Coefficient** No Data Available **Saturated Vapour Concentration** No Data Available **Vapour Temperature** No Data Available No Data Available Viscosity **Volatile Percent** No Data Available

Additional Characteristics No information available.

No Data Available

VOC Volume

Potential for Dust Explosion

No information available.

Fast or Intensely Burning

Characteristics

No information available.

Flame Propagation or Burning

Rate of Solid Materials

No information available.

Non-Flammables That Could Contribute Unusual Hazards to a

No information available.

Fire

Properties That May Initiate or Contribute to Fire Intensity

Non-combustible; Material does not burn.

Reactions That Release Gases or

Fire or heat will produce irritating and/or toxic fumes, including oxides of Sulfur, Magnesium oxide.

Vapours

Release of Invisible Flammable

Vapours and Gases

No information available.

10. STABILITY AND REACTIVITY

General Information At very high temperatures, magnesium oxide, sulfur dioxide and sulfur trioxide may be generated.

Chemical Stability Stable under recommended storage conditions.

Conditions to Avoid Avoid generating dust. Avoid extremes of temperature and direct sunlight. Incompatible/reactive with Metal hydrides and other water reactive materials. **Materials to Avoid**

Hazardous Decomposition

Products

Fire or heat will produce irritating and/or toxic fumes, including oxides of Sulfur, Magnesium oxide.

Hazardous Polymerisation No information available.

11. TOXICOLOGICAL INFORMATION

General Information

- Acute toxicity: Ingestion may cause abdominal cramps and diarrhoea. Produces a laxative effect. Swallowing large amounts may lead to heart changes, flaccid paralysis and cyanosis.
- Skin corrosion/irritation: Contact with skin may result in irritation.
- Eye damage/irritation: Dust may cause mild eye irritation. Exposure to the dust may cause discomfort due to particulate nature. May cause physical irritation to the eyes.
- Respiratory/skin sensitisation: No information available.
- Germ cell mutagenicity: No information available.
- Carcinogenicity: Not listed by IARC, NTP, or OSHA
- Reproductive toxicity: No information available.
- STOT (single exposure): Not classified. Breathing in dust may result in respiratory irritation.
- STOT (repeated exposure): Not classified.
- Aspiration toxicity: No information available.

Acute

Ingestion Acute toxicity (Oral):

> - LDIo, Man: 428 mg/kg [RTECS; Supplier's SDS]. - LDIo, Woman: 351 mg/kg [RTECS; Supplier's SDS].

Carcinogen Category None

12. ECOLOGICAL INFORMATION

Ecotoxicity No information available.

Persistence/Degradability No information available.

MobilitySinks and mixes with water.Environmental FateAvoid contaminating waterways.Bioaccumulation PotentialMaterial does not bioaccumulate.

Environmental Impact No Data Available

13. DISPOSAL CONSIDERATIONS

General Information Dispose of contents/container in accordance with local/regional/national regulations.

Special Precautions for Land Fill Contaminated packaging: Do not reuse container.

14. TRANSPORT INFORMATION

Land Transport (Australia)

ADG Code

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (China)

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Fiji)

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (Malaysia)

ADR Code

UN Number

Special Provision

Hazchem

Pack Group

Proper Shipping NameMagnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available
No Data Available

No Data Available No Data Available No Data Available

No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (New Zealand)

NZS5433

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Land Transport (United States of America)

US DOT

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

No Data Available

UN NumberNo Data AvailableHazchemNo Data AvailablePack GroupNo Data AvailableSpecial ProvisionNo Data Available

Comments NON-DANGEROUS GOODS: Not regulated for LAND transport.

Sea Transport

IMDG Code

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available

UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available
EMS No Data Available

Marine Pollutant No

Comments NON-DANGEROUS GOODS: Not regulated for SEA transport.

Air Transport IATA DGR

Proper Shipping Name Magnesium sulfate, heptahydrate

Class No Data Available
Subsidiary Risk(s) No Data Available
UN Number No Data Available
Hazchem No Data Available
Pack Group No Data Available
Special Provision No Data Available

Comments NON-DANGEROUS GOODS: Not regulated for AIR transport.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods

by Road & Rail (ADG Code)

15. REGULATORY INFORMATION

General Information No Data Available
Poisons Schedule (Aust) Not Scheduled

Environmental Protection Authority (New Zealand)

Hazardous Substances and New Organisms Amendment Act 2015

Approval Code Not Hazardous

National/Regional Inventories

Australia (AIIC) Listed

Canada (DSL) Not Determined

Canada (NDSL) Not Determined

China (IECSC) Not Determined

Europe (EINECS) Not Determined

Europe (REACh) Not Determined

Japan (ENCS/METI) Not Determined

Korea (KECI) Not Determined

Malaysia (List of Classified Substances) Not Determined

New Zealand (NZIoC) Listed

Philippines (PICCS) Not Determined

Taiwan (TCSI) Not Determined

USA (TSCA) Not Determined

Mexico (INSQ) Not Determined

16. OTHER INFORMATION

Related Product Codes

MASULP0002, MASULP0100, MASULP0101, MASULP0200, MASULP0500, MASULP0501, MASULP0600, MASULP0601, MASULP0800, MASULP0801, MASULP0850, MASULP0900, MASULP0901, MASULP1000, MASULP1001, MASULP1002, MASULP1003, MASULP1004, MASULP1005, MASULP1006, MASULP1007, MASULP1008, MASULP1009, MASULP1010, MASULP1011, MASULP1012, MASULP1013, MASULP1014, MASULP1015, MASULP1016, MASULP1017, MASULP1018, MASULP1019, MASULP1020, MASULP1021, MASULP1022, MASULP1023, MASULP1024, MASULP1025, MASULP1030, MASULP1035, MASULP1050, MASULP1055, MASULP1056, MASULP1060, MASULP1065, MASULP1088, MASULP1090, MASULP1091, MASULP1100, MASULP1101, MASULP1102, MASULP1103, MASULP1200, MASULP1201, MASULP1255, MASULP1256, MASULP1350, MASULP1355, MASULP1401, MASULP1402, MASULP1403, MASULP1404, MASULP1405, MASULP1406, MASULP1407, MASULP1408, MASULP1409, MASULP1410, MASULP1411, MASULP1412, MASULP1413, MASULP1414, MASULP1415, MASULP1416, MASULP1417, MASULP1418, MASULP1419, MASULP1420, MASULP1421, MASULP1422, MASULP1423, MASULP1424, MASULP1425, MASULP1801, MASULP1802, MASULP1803, MASULP1804, MASULP1805, MASULP1806, MASULP1807, MASULP1808, MASULP1809, MASULP1810, MASULP1811, MASULP1812, MASULP1813, MASULP2001, MASULP2002, MASULP2003, MASULP2004, MASULP2005, MASULP2006, MASULP2007, MASULP2008, MASULP2101, MASULP2201, MASULP2202, MASULP2300, MASULP2301, MASULP2302, MASULP2400, MASULP2401, MASULP2402, MASULP2606, MASULP2701, MASULP2800, MASULP2900, MASULP2901, MASULP2902, MASULP2903, MASULP2904, MASULP2905, MASULP2906, MASULP2907, MASULP2910, MASULP2913, MASULP2915, MASULP2920, MASULP2921, MASULP2922, MASULP2923, MASULP2925, MASULP2930, MASULP2931, MASULP2933, MASULP3001, MASULP3002, MASULP3101, MASULP3200, MASULP3201, MASULP3300, MASULP3301, MASULP3302, MASULP3303, MASULP3304, MASULP3310, MASULP3311, MASULP3312, MASULP3320, MASULP3330, MASULP3331, MASULP3332, MASULP3333, MASULP3334, MASULP3400, MASULP3600, MASULP3716, MASULP3800, MASULP3801, MASULP3802, MASULP3803, MASULP3805, MASULP3810, MASULP3812, MASULP3821, MASULP4000, MASULP4001, MASULP4003, MASULP4004, MASULP4100, MASULP4200, MASULP4201, MASULP4300, MASULP4400, MASULP4500, MASULP4501, MASULP4502, MASULP4600, MASULP4800, MASULP4810, MASULP4811, MASULP4820, MASULP4850, MASULP5000, MASULP5200, MASULP5220, MASULP5500, MASULP6600, MASULP6500, MASULP6501, MASULP6600, MASULP6900, MASULP6901, MASULP7000, MASULP7001, MASULP7300, MASULP7501, MASULP7800, MASULP7900, MASULP7901, MASULP7910, MASULP8000, MASULP8001, MASULP8002, MASULP8600, MASULP8900, MASULP9000, MASULP9040, MASULP9100, MASULP9300, MASULP9400, MASULP9501, MASULP9601, MASULP9602, MASULP9603, MASULP9701, MASULP9702, MASULP9801, MASULP9901, MASULS1000, MASULS9800, MASUPH1000, MASUPH2000, MASUPH3000, MASUPH4000

Revision 4

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square CentimetresCO2 Carbon Dioxide

COD Chemical Oxygen Demand **deg C (°C)** Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm3 Grams per Cubic Centimetre

g/I Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluable in each other.

inHg Inch of Mercury

inH20 Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

Ib Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

Itr or L Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH20 Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

NOHSC National Occupational Heath and Safety Commission

OECD Organisation for Economic Co-operation and Development

Oz Ounce

PEL Permissible Exposure Limit

Pa Pascal

ppb Parts per Billion

ppm Parts per Million

ppm/2h Parts per Million per 2 Hours

ppm/6h Parts per Million per 6 Hours

psi Pounds per Square Inch

R Rankine

RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit

TLV Threshold Limit Value

tne Tonne

TWA Time Weighted Average

ug/24H Micrograms per 24 Hours

UN United Nations

wt Weight